



FIRE INSPIREDTM

INDOOR PRODUCT CATALOG

2024



C US



SAFETY PILOT KITS

INDOOR FIREPLACE COMPONENTS



Side Inlet Valve Kits

SKU	MSRP	Description
70PKN-HC	\$368.74	Natural gas applications. 1/2" male thread on burner tube. Uses White Rodgers High Capacity 142k BTU 250 degree valve. Includes valve, pilot assembly, fittings, heat shield, flex line, and control knob. For LP applications use 70LPK-HC conversion kit.
72PKNQM	\$178.61	"Quick Mount" swivel flare connector version for easy connection to burner. Uses Copreci 300°, 90k Btu side inlet valve. For natural gas applications with gas log sets having either 3/8" female thread, 3/8" male thread, or 1/2" male thread on end of the burner tube, 90k Btu. Includes valve, pilot assembly, connector, heat shield, knob, and fittings. For LP applications use 70LPK-QM conversion kit.
72PKN	\$168.25	Hard pipe connection to burner with use of fittings. Uses Copreci 300°, 90k Btu side inlet valve. For natural gas applications with burners having 3/8" female, 3/8" male or 1/2" male thread. Includes valve, pilot assembly, fittings, heat shield, and control knob. For LP applications use 70LPK conversion kit.
172UPK	\$189.27	Combines 72PKN & 70LPK for either LP or natural gas installations. Includes 72PKN components, vermiculite, air mixer / orifice, and pilot assembly LP orifice.

Rear Inlet Valve Kits

SKU	MSRP	Description
80PKN	\$160.10	Hard pipe connection to burner with use of fittings. Uses Copreci 300°, 90k Btu rear inlet valve. For natural gas applications with burners having 3/8" female, 3/8" male or 1/2" male thread. Includes valve, pilot assembly, fittings, heat shield, and control knob. For LP applications use 70LPK conversion kit.
80PKNQM	\$169.56	"Quick Mount" swivel flare connector system. Uses 300° rear inlet Copreci Valve. All fittings for mounting to all "standard" type burner pans. Designed to fit burners having 3/8" female, 3/8" male or 1/2" male threads on burner tube, 90k Btu. Includes valve, pilot assembly, connector, heat shield, control knob, and fittings. For LP applications use 70LPK-QM conversion kit.
81PKNQM	\$168.25	"Quick Mount" swivel Flare connector system. Uses Copreci 300° rear inlet valve. Uses 1 1/2" swivel connector to give a more compact fit, and easier assembly. Designed to fit burner pans with 1/2" male threads on the end of the burner tube, 90k Btu. Includes valve, pilot assembly, connector, heat shield, control knob, and fittings. For LP applications use 70LPK-QM conversion kit.
182UPK	\$186.78	Contains all components of 80PKN and 70LPK. This kit can be used for either Natural or LP installations. Includes 80PKN, vermiculite, air mixer / orifice, and pilot assembly LP orifice.
SPK-85	\$175.55	Comes to you fully assembled. Uses Copreci 300° rear inlet valve. Designed to fit only burner pans with 1/2" male threads on the end of the burner tube. For natural gas. 90k Btu. Includes valve, pilot assembly, fittings, heat shield, and control knob. For LP applications use 70LPK conversion kit.

Low Profile Valve Kits

SKU	MSRP	Description
91PKN	\$169.14	Ultra low profile safety pilot kit that employs a Copreci rear inlet 90k Btu, 300° valve. Fits all standard type burner pans. Designed to fit burners with 3/8" female threads, 3/8" male threads and 1/2" male threads. Includes valve, pilot assembly, fittings, heat shield, and control knob. For LP applications use 70LPK conversion kit.
91PKNQM	\$175.55	Quick Mount System uses 300° low profile, rear inlet Copreci valve. This kit is designed to fit all standard type burner pans. Designed to fit burners with 3/8" female threads, 3/8" male threads and 1/2" male threads. 90k Btu. Includes valve, pilot assembly, connector, heat shield, control knob, and fittings. For LP applications use 70LPK conversion kit.
CFPVC	\$47.09	Realistic log heat shield. Heat shield/valve cover made of light weight ceramic fiber and hand painted. Designed for safety pilot valves

LP Conversion Kits

SKU	MSRP	Description
70LPK	\$35.43	For use with 72PKN, 80PKN, 83PKN, SPK-85. Includes: Vermiculite, Air Mixer / Orifice, 2 LP Pilot Orifices.
70LPK-HC	\$46.07	For use with 70PKN-HC. Includes: Vermiculite, 1/2" Air Mixer / Orifice, 2 LP Pilot Orifices.
70LPK-QM	\$43.01	For use with 72PKNQM, 80PKNQM, 81PKNQM, and 91PKNQM. Includes: Vermiculite, Air Mixer / Orifice, 2 LP Pilot Orifices

Safety Pilot Replacement Valves

SKU	MSRP	Description
100-HC	\$256.83	250° rated valve. Includes knob. High capacity: 142k BTU.
108-C	\$101.85	Lowest profile. 300° rated valve. 90k BTU.
109-C	\$90.62	300° rated valve. Rear inlet. 90k BTU.
110	\$90.62	300° rated valve. Side inlet. 90k BTU.



70PKN-HC



80PKN



91PKN



Pilot Assemblies

SKU	MSRP	Description
102	\$26.68	18" leads, 90° 2-way hood. Natural gas applications.
102P	\$29.45	18" leads, 90° 2-way hood. Liquid propane applications.
102-36	\$44.34	36" leads, 90° 2-way hood. Natural gas applications.
102-48	\$71.30	48" leads, 90° 2-way hood. Natural gas applications.
102-72	\$119.13	72" leads, 90° 2-way hood. Natural gas applications.
102-W	\$25.66	18" leads, White Rodgers, 1-way hood. Natural gas applications.
107	\$26.11	90° hood bracket and tubing (no T/C)
120	\$6.44	Pilot assembly bracket. Allows for mounting pilot assembly to burner pan. Works for most safety pilots and millivolt assemblies.

Thermocouples

SKU	MSRP	Description
106M	\$24.36	18" length. Metric; DV thermocouple; quick drop.
106R	\$26.98	18" length. Robertshaw; fits 102 & 102-P assembly.
106W	\$16.35	18" length. White Rodgers; fits 102-W.
106U	\$25.66	18" length. Universal thermocouple for use with both metric and standard.
117	\$21.58	36" length. Robertshaw; fits 102 & 102-P assembly.
112	\$21.58	48" length. Robertshaw; fits 102 & 102-P assembly.
116	\$35.43	72" length. Robertshaw; fits 102 & 102-P assembly.

Thermocouple Thread Adapters

SKU	MSRP	Description
434	\$16.35	Metric M9 to standard 11/32" threads.
436	\$16.35	Metric M9 to Metric M8 threads.

Corrugated Pilot Tubing


SKU	MSRP	Description
654	\$17.22	18"
655	\$22.30	24"
649	\$25.37	36"
656	\$33.98	48"
651	\$38.93	60"
652	\$44.34	72"

Accessories

SKU	MSRP	Description
101	\$5.83	4" stem extension.
111	\$6.99	Black, pad printed knob.
122	\$6.72	70 Series kit pilot heat shield.
140	\$18.52	80 Series kit pilot heat shield.
140-L	\$17.22	90 Series kit pilot heat shield.






102 Pilot Assembly



102-W Pilot Assembly



#107 Pilot Head



Safety Pilot Kits Reference Chart

Model	Btu	Kit		Ignition	Manual Flame Modulating	Valve				For Burner Thread Type		Pilot Type	
		Quick Mount	Fully Assembled			Match Lit	Rear Inlet	Side Inlet	Low Profile	LP Conv.	3/8" ID/OD		1/2" OD
70PKNHC	142k	Note 1		•	•	•			70 LPK HC			•	Standing
72PKN	90k			•	•	•			70 LPK		•	•	•
72PKNQM		•			•				70 LPK-QM				
172UPK					•				LP Kit Included				
80PKN	90k			•	•	•			70 LPK		•	•	•
80PKNQM		•			•				70 LPK-QM				
81PKNQM	90k	•		•	•	•			70 LPK-QM			•	•
182UPK (NG & LP)	90k			•	•	•			Included		•	•	•
83PKN					•				70 LPK				
91PKN	90k			•	•	•		•	70 LPK		•	•	•
91PKNQM		•							70 LPK-QM				
SPK-85	90k		•	•	•	•			70 LPK			•	•

Notes: 1) Quick Mount- Indicates swivel flare connector included with kit.



MILLIVOLT KITS

INDOOR FIREPLACE COMPONENTS



6

⚠ WARNING: California PROP 65: This product can expose you to lead and chromium, elements which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov

Millivolt Kits

SKU	MSRP	Description
MVK-N	\$393.83	Millivolt valve kit with flex line connection to main burner. Uses Dexen gas valve, 85k BTU that may be controlled with a wall switch, remote control or timer. Includes valve, pilot assembly, flex lines, heat shield, high limit switch, and fittings. Optional remote control: RCK-I, RCK-K, RCK-B, and RCK-D. For liquid propane applications, order MVK-P instead.
MVK-NQM	\$386.97	Millivolt valve kit with 3" Swivel Flare connection to main burner. Uses Dexen gas valve, 85k BTU that may be controlled with a wall switch, remote control, or timer. Includes valve, pilot assembly, connector, flex line, heat shield, high limit switch, and fittings. Optional remote control: RCK-I, RCK-K, RCK-B, and RCK-D. For liquid propane applications, order MVK-PQM instead.
MVK-HC	\$672.01	High capacity millivolt valve kit (natural gas) with flex line connection to 1/2" main burner. Uses White-Rodgers gas valve, 230k BTU that may be controlled with a wall switch, remote control, or timer. Includes valve, 18" pilot assembly, heat shield, high limit switch, and fittings.
MVK-HC36	\$712.54	High capacity millivolt valve kit (natural gas) with flex line connection to 1/2" main burner. Uses White-Rodgers gas valve, 230k BTU that may be controlled with a wall switch, remote control, or timer. Includes valve, 36" pilot assembly, heat shield, high limit switch, and fittings.
UMVK-NP	\$547.06	Univerasl millivolt valve kit with flex line connection to main burner-- for natural gas or liquid propane use. Uses Robert Shaw gas valve, 82k BU that may be controlled with a wall switch, remote control, or timer. Includes valve, pilot assembly, flex lines, heat shield, high limit switch, air mixer / orifice, and fittings. Optional remote control: RCK-I, RCK-K, RCK-B, and RCK-D.
MMVK-NQM	\$393.95	Natural gas applications. Flame modulating Millivolt valve kit with 3" Swivel Flare connection to main burner. Uses Maxitrol gas valve, 85k Btu that may be controlled with a remote control. Includes valve, pilot assembly, connector, flex line, heat shield, high limit switch, and fittings. Optional remote control: RCK-M. For liquid propane applications, order MMVK-PQM instead.
MMVK-NQMSI	\$419.19	Natural gas applications. Flame modulating Millivolt valve kit with 3" Swivel Flare connection to main burner. Uses Maxitrol gas valve, 85k Btu that may be controlled with a remote control. Includes valve, pilot assembly, connector, flex line, heat shield, high limit switch, fittings, and push button spark igniter. Optional remote control: RCK-M. For liquid propane applications, order MMVK-PQMSI instead.
MVRC255	\$594.74	This kit combines the MMVK-NQM kit with the RCK-M remote control. For liquid propane applications, order MVRC255P instead.
172UPK	\$189.27	Combines 72PKN & 70LPK for either LP or natural gas installations. Includes 72PKN components, vermiculite, air mixer / orifice, and pilot assembly LP orifice.

Replacement Valves

SKU	MSRP	Description
202	\$287.53	Convertible valve for natural gas or liquid propane. 225° rated valve. Front inlet rear outlet.
200-D	\$207.78	For natural gas. 225° rated valve. Front inlet rear outlet. 6003 series. For liquid propane applications, use 201-D.
210	\$443.68	250° rated valve. 230k BTU. LP conversion kit included. .750 VDC.
PCOA072	\$455.05	For liquid propane. HI/LO millivolt valve. For liquid propane applications, use PCOA071.
200-K	\$263.19	For natural gas. Dexen 6003-KN variable millivolt valve. HI/LO regulator. Quick drop out safety magnet. 1.7"-3.5" W.C., 3/8" inlet. 3/8" outlet. Front inlet, rear outlet.
200-KS	\$308.68	For natural gas. Dexen 6003KS series. HI/LO manual setting. Front inlet, rear outlet. Multi-Tap with 11/32 magnet. For liquid propane applications, use 201-KS.
217LP	\$32.50	Converts 200 series Dexen and Robertshaw valves from natural gas to liquid propane.
217N	\$32.50	Converts 200 series Dexen and Robertshaw valves from liquid propane to natural gas.
216	\$6.44	Converts 200 series Dexen and Robertshaw valves from regulated to unregulated.
215	\$116.79	Converts S.I.T. Nova 820 valve to HI/LO capabilities for natural gas. For natural gas.
215L	\$107.03	Converts S.I.T. Nova 820 valve to HI/LO capabilities for natural gas. For liquid propane.
223	\$106.14	Converts S.I.T. Nova 820 valve to manual HI/LO capabilities for natural gas.

ODS Pilot Assemblies - Vent Free


SKU	MSRP	Description
69222	\$118.54	Natural gas applications. Manual ODS; male threads. No thermopile.
69224	\$126.56	Liquid propane applications. Manual ODS; male threads. No thermopile.
73020	\$207.78	Natural gas applications. Millivolt ODS; male threads. Utilizes thermopile.
73037	\$207.78	Liquid propane applications. Millivolt ODS; male threads. Utilizes thermopile.



MVK-N



202



200-D



Millivolt Thermopiles


SKU	MSRP	Description
434	\$16.35	Metric M9 to standard 11/32" threads.
436	\$16.35	Metric M9 to Metric M8 threads.
293	\$15.56	High limit switch 175°, normally closed.
211	\$43.61	High limit switch 210° normally closed.
212	\$7.87	On/off switch.
113	\$74.38	18" Robertshaw; fits MVK-N and MVK-P series.
255	\$81.23	36" Robertshaw; fits MVK-N and MVK-P series.
114	\$78.44	48" Robertshaw; fits MVK-N and MVK-P series.
216	\$6.44	Converts 200 series Dexen and Robertshaw valves from regulated to unregulated.

Corrugated Pilot Tube


SKU	MSRP	Description
654	\$17.22	18" Dormont corrugated, stainless steel pilot tube. 1/4" O.D.
655	\$22.30	24" Dormont corrugated, stainless steel pilot tube. 1/4" O.D.
649	\$25.37	36" Dormont corrugated, stainless steel pilot tube. 1/4" O.D.
656	\$33.98	48" Dormont corrugated, stainless steel pilot tube. 1/4" O.D.
651	\$38.93	60" Dormont corrugated, stainless steel pilot tube. 1/4" O.D.
652	\$44.34	72" Dormont corrugated, stainless steel pilot tube. 1/4" O.D.

Millivolt Pilot Assemblies


SKU	MSRP	Description
203	\$76.11	18" Robertshaw. Natural gas.
204	\$76.84	18" Robertshaw. Liquid propane.
219N	\$110.95	36" Robertshaw. Natural gas.
219P	\$112.28	36" Robertshaw. Liquid propane.
103	\$71.30	36" White-Rodgers. Natural gas.
120	\$6.44	Pilot assembly mounting bracket. Works for most safety pilot and millivolt assemblies.



69222



69224



73020 and 73037



212



293 and 211



Millivolt Valve Kits Reference Chart

Model	Btu	Quick Mount		Match	Ignition		Flame Modulating	Use with Optional Remote		Valve		For Burner Thread Type		Pilot Type
		Mount	Lit		Manual Ignition	Electronic Ignition		Battery Receiver	120V Receiver	Nat. Gas	LP Gas	3/8" ID/OD	1/2" OD	
MVK-HC	230k	Note 1												Stand.
MVK-N	85k		•											•
MVK-P			•											•
MVK-NQM			•											•
MVK-PQM			•											•
UMVK-NP	82K													•
MMVK-NQM	85k		•											•
MMVK-PQM			•											•
MMVK-NQMSI			•	•	•	•	•	•						•
MMVK-PQMSI			•	•	•	•	•	•						•

Notes: 1) Quick Mount- Indicates swivel flare connector included with kit.



ELECTRONIC IGNITION KITS

INDOOR FIREPLACE COMPONENTS



Electronic Ignition Kits

SKU	MSRP	Description
MVK-EI	\$620.54	Electronic Ignition valve kit with flex line connection to main burner. This kit is battery operated in the event of power outage- Optional 120Vac adaptor available. Complete electronic ignition kit uses Dexen EI gas valve, 82k Btu that may be controlled with a wall switch, remote control or timer. Includes valve, control module, pilot assembly, flex lines, battery pack + batteries, heat shield, high limit switch, and fittings. Optional remote control: RCK-I (On/Off), RCK-K (thermostatic). For liquid propane, use EILPK kit.
MVK-EIMC-1	\$996.72	Electronic Ignition valve kit with flex line connection to main burner. This system operates at 24 Volts- step-down transformer and 120v power cord included. Complete electronic ignition kit uses Honeywell EI gas valve, 150k Btu that may be controlled with a wall switch, remote control or timer. Includes valve, control module, pilot assembly, flex lines, 24VAC transformer + power cord, heat shield, and fittings. Optional remote control: RCK-I (On/Off), RCK-K (thermostatic).
MVK-EIHC-1	\$996.72	Electronic Ignition valve kit with flex line connection to main burner. This system operates at 24 Volts- step-down transformer and 120v power cord included. Complete electronic ignition kit uses high capacity Honeywell EI gas valve, 270k Btu that may be controlled with a wall switch, remote control or timer. Includes valve, control module, pilot assembly, flex lines, 24VAC transformer + power cord, heat shield, and fittings. Optional remote control: RCK-I (On/Off), RCK-K (thermostatic).
MVK-EIHC415-1	\$1087.84	Electronic Ignition valve kit with flex line connection to main burner. This system operates at 24 Volts- step-down transformer and 120v power cord included. Complete electronic ignition kit uses high capacity Honeywell EI gas valve, 415k Btu that may be controlled with a wall switch, remote control or timer. Includes valve, control module, pilot assembly, flex lines, 24VAC transformer + power cord, heat shield, and fittings. Optional remote control: RCK-I (On/Off), RCK-K (thermostatic).

Electronic Ignition Repair Parts

SKU	MSRP	Description
350-P	\$61.52	24" pilot assembly flame sensor, igniter.
350-P36	\$126.41	36" pilot assembly flame sensor, igniter.
350-P48	\$146.24	48" pilot assembly flame sensor, igniter.
350-P60	\$194.94	60" pilot assembly flame sensor, igniter.
350-BP	\$16.35	Battery pack.
350-H	\$13.57	Wire harness.
350-M	\$153.25	Control module.
351	\$32.50	AC wall power adapter.
350	\$252.67	Dexen repair valve.
EILPK	\$79.75	Includes air mixer, pilot orifice, vermiculite, and fittings.
203-DEXLP	\$6.72	Dexen EI pilot orifice.
352NG	\$309.70	6V electronic ignition M6003V modulating gas valve. NG 1.5"-3.8".
352LP	\$309.70	6V electronic ignition M6003V modulating gas valve. LP 4.5"-10".
352-M	\$243.50	For Dexen 6V EI modulating gas valve - 6300V 8K module.
352-P/LP	\$81.23	24" pilot assembly (modulating system only); liquid propane.
352-P/NG	\$81.23	24" pilot assembly (modulating system only); natural gas.
352-ADAPT	\$51.03	6V DC adapter.
352-BP	\$40.53	6003V battery pack.
352-H	\$47.68	6003V 8K wire harness.
352-REMOTE	\$168.93	6003V RFC remote control.

Honeywell Components

SKU	MSRP	Description
210-EI	\$255.45	24V Honeywell valve. 150k BTU.
210-EIHC	\$308.74	24V Honeywell valve. 270k BTU.
210-EI415	\$255.45	24V Honeywell valve. 415k BTU.
576-40VA	\$39.00	24VAC output transformer. 12VAC or 250VAC input voltage, 40VA power rating.
115PILOT-3	\$233.87	36" EI pilot assembly. NG.
115PILOT-4	\$281.41	48" EI pilot assembly. NG.
115PILOT-6	\$386.97	72" EI pilot assembly. NG.
577-A	\$27.86	LP conversion kit for EI pilot assembly.



Remote Control Kits

SKU	MSRP	Description
RCK-I	\$183.19	Manual on/off remote. Includes backlit LCD, room temp display, heat shield, 400 degree high temp wires, overheat protection switch, self-matching receiver to transmitter, child proof switch, and easy access battery drawer.
RCK-IS	\$176.41	Manual on/off remote. Includes backlit LCD, room temp display, 400 degree high temp wires, overheat protection switch, self-matching receiver to transmitter, child proof switch, and easy access battery drawer.
RCK-IW	\$171.06	Manual on/off remote. Includes backlit LCD, room temp display, overheat protection switch, self-matching receiver to transmitter, child proof switch, and easy access battery drawer.
RCK-K	\$207.41	Manual thermostatic on/off remote. Includes heat shield, overheat protection, 400 degree high temp wires, easy access battery drawer, backlit LCD with clock & temp readout, childproofing, low battery indicator, room temp set point, countdown timer, and self matching receiver to transmitter.
RCK-KS	\$193.83	Manual thermostatic on/off remote. Includes overheat protection, 400 degree high temp wires, easy access battery drawer, backlit LCD with clock & temp readout, childproofing, low battery indicator, room temp set point, countdown timer, and self matching receiver to transmitter.
RCK-D	\$210.08	Manual thermostatic on/off remote. Includes backlit LCD, childproofing, low battery indicator, room temp set point, countdown timer, clock, insulated head shield, in 120VAC.
RCK-B	\$183.19	Manual on/off remote. Childproofing, backlit LCD with room temp display, insulated heat shield, in 120VAC.
RCK-M	\$220.85	Manual on/off modulating flame remote control. For use with MMVK series kits or kits from other manufacturers that use the Maxitrol GV34 valve. Room temperature is displayed on the LCD window of the transmitter. Use this as your guide to adjusting the flame up or down. Includes radio frequency signal for more control flexibility, low battery indicator, flame adjustment, self matching receiver for easier frequency match up, insulated heat shield, batteries, and childproof lockout mode.
TRX-11	\$133.52	On/off ultrasonic remote control. For use in areas where there is heavy radio frequency interference.
TRX-25	\$225.37	On/off thermostatic ultrasonic remote control. For use in areas with heavy radio frequency interference.
WOOSK	\$43.01	White decorator Rocker on/off switch with wall plate. For use with any millivolt valve. Includes 25' of wire and connectors to fit onto any millivolt valve.
242	\$19.98	RCK-I / RCK-K heat shield.

RCK-M



TRX-11



TRX-25



Electronic Ignition Reference Chart

Electronic Ignition Kits Reference Chart

Model	Btu	Ignition			Use with Optional Remote		Valve		For Burner Thread Type		Pilot Type	
		Manual Ignition	Electronic Ignition	Flame Modulating	Battery Receiver	120V Receiver	Nat. Gas	LP Gas	3/8" ID/OD	1/2" OD		3/4" OD
MVK-EI	82k		• Battery									
MVK-EIMC-1	150K		• 120vac/ 24vac	RCK-I,	RCK-B, RCK-D							
MVK-EIHC-1	270K			RCK-K								
MVK-EIHC415-1	415K											•

1) LP Conversion Kits: **MVK-EI**: Use part # EILPK; **MVK-EIMC-1**, **MVK-EIHC-1**: Use part # 577-A.

2) **IPI Pilot**- Indicates Intermittent Pilot Ignition- pilot only on when main burner is on.

MANUAL VALVE KITS

INDOOR FIREPLACE COMPONENTS



Manual Valve Kits

SKU	MSRP	Description
C65	\$73.39	Designed to be mounted to the burner pan or the pipe stub. Fits all standard type burner pans having 1/2 or, 3/8" inlet on the end of the burner tube. Includes 7" black "L" stem. (90K Btu NG)
C66U	\$83.93	Designed to be mounted to the burner pan or the pipe stub. Fits pans with 1/2" or 3/8" inlet. Includes two stem extensions and red printed knob. (90K Btu NG)
C66	\$72.16	Designed to be mounted to the 1/2" pipe stub bringing gas into the fireplace. (90K Btu NG)

Decorative Key Valves

SKU	MSRP	Finish	Valve	Inlet / Outlet
MACB	\$37.93	Chrome	Angle	1/2"
MACB-HC	\$88.04	Chrome	Angle	3/4"
MSCB	\$38.01	Chrome	Straight	1/2"
MSCB-HC	\$79.08	Chrome	Straight	3/4"
MABB	\$37.93	Brass	Angle	1/2"
MABB-HC	\$105.45	Brass	Angle	3/4"
MSBB	\$36.63	Brass	Straight	1/2"
MSBB-HC	\$79.08	Brass	Straight	3/4"
MAFB	\$68.80	Flat Black	Angle	1/4"
MAFB-HC	\$105.45	Flat Black	Angle	3/4"
MSFB	\$67.23	Flat Black	Straight	1/2"
MSFB-HC	\$98.32	Flat Black	Straight	3/4"
MAPW	\$68.80	Pewter	Angle	1/2"
MAPW-HC	\$105.45	Pewter	Angle	3/4"
MSPW	\$67.23	Pewter	Straight	1/2"
MSPW-HC	\$98.32	Pewter	Straight	3/4"
MAAB	\$68.80	Antique Brass	Angle	1/2"
MAAB-HC	\$105.45	Antique Brass	Angle	3/4"
MSAB	\$67.23	Antique Brass	Straight	1/2"
MSAB-HC	\$98.32	Antique Brass	Straight	3/4"
MAAC	\$68.80	Antique Copper	Angle	1/2"
MAAC-HC	\$105.45	Antique Copper	Angle	3/4"
MSAC	\$67.23	Antique Copper	Straight	1/2"
MSAC-HC	\$98.32	Antique Copper	Straight	3/4"



Key and Flange Only

SKU	MSRP	Finish
UDFK-PC	\$43.20	Chrome
UDFK-PB	\$43.20	Brass
UDFK-FB	\$43.20	Flat Black
UDFK-PW	\$43.20	Pewter
UDFK-AB	\$43.20	Antique Brass
UDFK-AC	\$43.20	Antique Copper

Key Only

SKU	MSRP	Finish	Keys
305-U	\$9.28	Chrome	3"
317-8C	\$21.58	Chrome	8"
317-12C	\$22.97	Chrome	12"
317-18C	\$35.66	Chrome	18"
317-24C	\$50.82	Chrome	24"
307-U	\$9.28	Brass	3"
317-8B	\$21.58	Brass	8"
317-12B	\$22.97	Brass	12"
317-18B	\$35.66	Brass	18"
317-24B	\$50.82	Brass	24"
317-3UFB	\$12.33	Flat Black	3"
317-8FB	\$30.03	Flat Black	8"
317-3UPW	\$12.33	Pewter	3"
317-8PW	\$30.03	Pewter	8"
317-3UAB	\$12.33	Antique Brass	3"
317-8AB	\$30.03	Antique Brass	8"
317-3UAC	\$12.33	Antique Copper	3"
317-8AC	\$30.03	Antique Copper	8"

Flange Only

SKU	MSRP	Finish
304L	\$16.25	Chrome
306L	\$20.20	Brass

Replacement Valves

SKU	MSRP	Description
301-SL	\$33.84	Copreci valve. Compact design, side inlet, 3/8" x 3/8" ext. 90k BTU; NG.
339	\$36.55	1/4" turn T straight ball valve. 1/2" inlet & outlet. 150k BTU. NG.
339HC	\$70.25	High capacity 1/4" T straight ball valve. 3/4" inlet & outlet. 400k BTU. NG.
340	\$36.55	1/4" turn elbow/angle ball valve. 1/2" inlet & outlet. 150k BTU. NG.
340HC	\$70.25	High capacity 1/4" turn elbow/angle ball valve. 3/4" inlet & outlet. 400k BTU. NG.
228-LC	\$19.10	3/8" flare x 1/2" FPT (110k BTU NG)
228	\$19.10	1/2" flare x 1/2" FPT (150k BTU NG)
226	\$14.87	1/2" x 1/2" FPT (150k BTU NG)
226-HC	\$22.73	3/4" x 3/4" FPK (270k BTU NG)
320	\$9.18	L-shaped stem extension. 7" x 1/4"
321	\$9.18	Connection collar for 320 L-STEM.



Log Lighter Burner Kits

SKU	MSRP	Description
671	\$50.32	PRIER log lighter. 10" length. Cast iron, multiple inlets, 677 orifice.

Burners and Pans

SKU	MSRP	Description
DSBP18	\$81.14	Dual Burners are designed for indoor fireplace and are a great addition to the Stainless Steel Log Grates. Made with 304 stainless steel with the ends welded shut. To accompany the dual burners, we offer a burner pan in 304 stainless steel designed specifically for our dual burners, and suspends burner 3/4" above fireplace floor. Measures 18" x 8", ends are 2" high and allows for pilot assembly mounting. Fits all HPC dual burners.

Stainless Steel Flex Lines

SKU	MSRP	Length	Fittings	Description
SSC-LC6	\$21.05	6"	3/8" MIP; 1/2" FIP	Low Capacity
SSC-LC12	\$16.46	12"	3/8" MIP; 1/2" FIP	Low Capacity
SSC-LC18	\$18.82	18"	3/8" MIP; 1/2" FIP	Low Capacity
SSC-LC24	\$20.09	24"	3/8" MIP; 1/2" FIP	Low Capacity
SSC-LC30	\$21.75	30"	3/8" MIP; 1/2" FIP	Low Capacity
SSC-LC36	\$24.27	36"	3/8" MIP; 1/2" FIP	Low Capacity
SSC-LC48	\$28.46	48"	3/8" MIP; 1/2" FIP	Low Capacity
SSC6	\$20.64	6"	3/8" MIP; 1/2" FIP	Standard Capacity
SSC12	\$20.93	12"	3/8" MIP; 1/2" FIP	Standard Capacity
SSC18	\$21.48	18"	3/8" MIP; 1/2" FIP	Standard Capacity
SSC24	\$25.73	24"	3/8" MIP; 1/2" FIP	Standard Capacity
SSC30	\$28.74	30"	3/8" MIP; 1/2" FIP	Standard Capacity
SSC36	\$32.50	36"	3/8" MIP; 1/2" FIP	Standard Capacity
SSC48	\$35.70	48"	3/8" MIP; 1/2" FIP	Standard Capacity
SSC-HC12	\$24.41	12" (HC)	1/2" MIP; 1/2" FIP	High Capacity
SSC-HC18	\$29.00	18" (HC)	1/2" MIP; 1/2" FIP	High Capacity
SSC-HC24	\$34.11	24" (HC)	1/2" MIP; 1/2" FIP	High Capacity
SSC-HC30	\$38.65	30" (HC)	1/2" MIP; 1/2" FIP	High Capacity
SSC-HHC24	\$74.61	24" (HC)	3/4" MIP; 3/4" FIP	Ultra High Capacity
SSC-HHC36	\$113.33	36" (HC)	3/4" MIP; 3/4" FIP	Ultra High Capacity
SSC-W12	\$22.25	12"	3/8" MIP; 1/2" FIP	Tranquil Whistle-Free
SSC-W18	\$30.33	18"	3/8" MIP; 1/2" FIP	Tranquil Whistle-Free
SSC-W24	\$34.88	24"	3/8" MIP; 1/2" FIP	Tranquil Whistle-Free
SSC-W30	\$43.99	30"	3/8" MIP; 1/2" FIP	Tranquil Whistle-Free
SSCB-W18	\$40.29	18"	3/8" MIP; 1/2" FIP	Tranquil Whistle-Free, Standard Capacity
SSCB-W24	\$43.99	24"	3/8" MIP; 1/2" FIP	Tranquil Whistle-Free, Standard Capacity
SSCB-W30	\$56.63	30"	3/8" MIP; 1/2" FIP	Tranquil Whistle-Free, Standard Capacity

Spark Igniters

SKU	MSRP	Description
690-AA	\$47.17	AA spark igniter. Mounts with two screws, includes batteries. Dual ignition outlets. Replaces #690
691AA-HPC	\$45.42	AA spark igniter. Screw-in cap holds unit in place.

Regulators

SKU	MSRP	Description
293	\$15.56	High limit switch: 175 degrees.
211	\$43.61	High limit switch: 210 degrees.
670	\$56.71	Maxitrol regulator. NG.
670P	\$60.64	Maixtrol reglator. LP.
73332	\$90.68	Universal Maxitrol regulator.
BSK	\$28.43	Temperature switch.

Fireplace Enhancements

SKU	MSRP	Description
125 VE8	\$12.54	Vermiculite- 8oz
840 GE5	\$12.54	Glowing Embers- 5oz
841	\$12.54	White Silica Sand- 8lbs
842 VC5	\$18.52	Volcanic Cinders- 5lbs
843-WB5	\$38.93	Wood Bits
844 C4 Kit	\$16.35	Ceramic Fiber- 4oz
845	\$12.54	Black Sand- 8lbs
FPR84MC	\$462.62	Multi Color Ceramic River Rock
FPR84BL	\$434.94	Black Ceramic River Rock
857S	\$162.49	Rolled Lava Stone - Small 1-2" Black
857M	\$99.69	Rolled Lava Stone - Med. 2-4" Black



Ceramic fiber river rock



Volcanic Cinders



Ceramic fiber coals

